



DESIGN GUIDELINES
Effective January 1, 2023

POWER RANCH COMMUNITY ASSOCIATION
4546 Haven Crest Drive, Gilbert, AZ 85297

480-988-0960 Office | www.mypowerranch.com

INTRODUCTION	1
I. DESIGN REVIEW COMMITTEE	1
II. DESIGN GUIDELINES	1
Architectural Character	1
Exterior Landscaping Surface Materials	1
Site Contouring/Drainage	2
Landscaping Requirements	2
III. MODIFICATIONS	3
Accessory Buildings: Gazebo/Ramada/Pergola/Shade Structure/Sheds	3
Ancillary Equipment	3
Antennas/Satellite Dish	4
Balconies/Patios/Front Door Areas	4
Barbecues/Fire Pits/Fireplaces	4
Bulk Trash	4
Driveway Extension	5
Driveways	6
Flag Display	6
Garages	6
Gates	6
Holiday and Seasonal Decorations	7
Irrigation	7
Lighting, General	7
Lighting, Decorative	7
Painting	7
Patios and Courtyards	8
Pipe Wrap Insulation	8
Pools/Water Features	8
Portable Sports Equipment	8
Prohibited Structures	8
Rain Gutters	8
Security Cameras	8
Security and Screen Doors	9
Shade Sails	9
Sidewalks	8
Signage	9
Solar Panels/Solar Tubes/Solar Equipment	9
Swing Sets/Play Structures/Trampolines	9
Trash and Recycle Containers	10
Walls and Fences	10
Windows/Screens/Shades/Shutters	10
Yard Art/Ornaments/Structures – Front Yards	10
IV. NON-LIABILITY FOR APPROVAL OF PLANS	11
V. CHANGES AND AMENDMENTS TO THE DESIGN GUIDELINES	11

INTRODUCTION

Owners must comply with both the Association's governing documents and any applicable government laws. Complying with one does not excuse the obligation to comply with both. **FOLLOWING THESE GUIDELINES DOES NOT ELIMINATE THE NEED FOR SUBMISSION OF PLANS FOR APPROVAL BY THE DESIGN REVIEW COMMITTEE. JUST BECAUSE A CHANGE, ADDITION, OR MODIFICATION IS NOT SPECIFICALLY PROHIBITED DOES NOT MEAN THAT IT IS PERMISSIBLE.** Even if your change, addition, or modification meets the requirements set forth in these Guidelines, is permitted by these Guidelines, and/or is identical to another, which has been approved, it still must be submitted for approval unless otherwise specifically noted herein. Because each situation may have different conditions, i.e. different locations, physical conditions or design considerations, etc., each application will be reviewed on a case-by-case basis.

The policies, procedures, requirements, and restrictions set forth in this document are intended to serve as guidelines. These Design Guidelines are not the exclusive basis for decisions of the Design Review Committee, and compliance with these Guidelines does not guarantee approval of any particular application. Owners should not assume that they are authorized to proceed with any actions that require approval pursuant to Section 4.3.1 of the Declaration simply because a particular project is not specifically addressed in this document. The fact that a particular type of project or modification is not addressed in these Design Guidelines does not mean that owners have authorization to proceed absent express written permission from the Design Review Committee.

Approval of a particular action in the past does not guarantee approval of the same action in the future.

Neither the Design Review Committee nor the Board of the Association is responsible for the review of plans and specifications to determine conformance to applicable City, county, federal or state codes, ordinances and regulations. The Design Review Committee's purpose is to review plans and specifications for aesthetic purposes and to determine compliance with these Design Guidelines and the Declaration. Compliance with applicable City, county, federal or state codes, ordinances and regulations is in addition to compliance with these Design Guidelines and the Declaration. The Design Review Committee makes no warranty, expressed or implied, that any plan submitted and approved is in accordance with state, county, or local building codes. Each homeowner is required to check and receive, as appropriate, all governmental, municipal and regulatory approvals for any and all changes made to any Lot.

Owners are advised that the construction of or modifications to certain Improvements may void all or a portion of the warranty given to Owners by Declarant or its Affiliate upon acquiring a Lot. Prior to commencing construction or modifying an Improvement, an Owner shall investigate any effect such construction or modification will have on that warranty. The Design Review Committee shall not be responsible for any warranty that is deemed void as a result of the Design Review Committee approving any such construction or modification. The Association is not responsible if any work done pursuant to an architectural submittal voids an existing warranty.

The Association reviews submittals only for aesthetic considerations. It does not review or guarantee the quality of the design or construction.

These Design Guidelines supersede and replace all prior versions of the Design Guidelines in their entirety. In the event of a conflict between the Declaration and the Design Guidelines, the Declaration shall control.

These Design Guidelines may be amended in the future.

I. DESIGN REVIEW COMMITTEE

The Design Review Committee is appointed by the Board of Directors of the Association, which serves as the final authority on all Architectural and Landscape Design issues as set forth in Article 11 of the CC&Rs. The Committee is responsible for reviewing all submittals required pursuant to Section 4.3.1.

All proposed changes must be submitted to the Committee for approval and no work may begin without the approval of the Committee.

Any additional permits required by the governing municipalities are the responsibility of the homeowner.

II. DESIGN GUIDELINES

Architectural Character

All materials used in the maintenance, repair, addition to, and alterations of an existing home shall be consistent with those materials used in the original construction of the home as to color, composition, type and method of attachment. The Design Review Committee may allow

substitute materials if such materials are deemed by the Committee to be compatible with the theme of the community.

The height of any addition to an existing home shall be no higher than the original roofline. Professional architectural elevations must be presented to the Design Review Committee prior to gaining permits from municipalities and again after permits are obtained.

All additions to an existing home shall be built within the setback lines originally established for Power Ranch, regardless of more lenient requirements of any governmental authority.

When additions, alterations, or renovations are performed on an existing home, the established lot drainage shall not be altered. All new or altered roofs shall drain to the ground solely within the deeded lot area. No roof may drain directly onto a neighboring property.

Building materials and construction equipment must be stored or located on the owner's lot and not in adjacent common areas or in the street, if possible.

All maintenance and repairs of existing homes shall be consistent with the requirements set forth in the governing documents for Power Ranch.

Exterior Landscaping Surface Materials

Only decomposed granite or native granite rock is acceptable as a landscape/ground cover material. The original granite color used in Power Ranch is Apache Brown screened decomposed granite from the Pioneer Landscaping for all residential front yards. The size of the granite may range from screened sizes of 5/8" to 1". Rear yard decomposed granite is not limited to Apache Brown but should blend with the surrounding environment. Granite may not spill into the street, sidewalk, or driveway. Granite must be maintained in good condition without an accumulation of organic material. An adequate amount of granite must be present to prevent the dirt below from showing. Granite should be loose, and not be imbedded in the ground.

River rock, crushed rock, artificially colored rock, flagstone or material with the appearance of flagstone shall not be permitted as landscape/ground cover.

If a homeowner requests to use ground cover material other than Apache Brown decomposed granite, a sample should be provided to the Design Review Committee prior to replacing or replenishing granite in the front yard (and in rear yards with view fences).

The Committee will take into consideration the weathering ability of all proposed materials, especially on wood and construction systems.

Softscape treatments include but are not limited to non-permanent surfaces such as plant materials, granite, soil, cement, or native granite rock.

Site Contouring/Drainage

Front yards should be contoured to create a visual interest in the landscape and produce soft, gentle transitions between the existing grade of the home and the adjacent street. Contouring should transition into grades on both sides of the lot to create a flowing, continuous street scape. Include contouring plans if grading is being adjusted or changed. Contouring yards shall not result in major changes to drainage patterns on the lot. Water shall not be directed toward the building foundation or toward any neighboring property. Drainage shall not be altered to create any condition that could lead to offsite soil erosion on open spaces. The drainage area must be appropriately covered with river rock or riprap. Riprap must be angular, 3" - 5", and the color must be submitted prior to installation.

Landscaping Requirements

Trees, shrubs, grass, and plantings of every kind shall be properly cultivated and free of trash, weeds, and other unsightly material. Shrubs and plants with more than 30% dead branches and leaves must be removed. Tree stumps must be removed.

If turf is chosen for the front yard, it must be Midiron or Bob Sod. A hardscape border must separate the area between the turf and graveled areas. Over seeded grass is not required during the winter months however, grass must be maintained and kept irrigated. Artificial turf is permitted in front yard landscapes if it is no less than 50 oz. in grade and installed by a professional installer or company. Once installed, artificial turf must remain weed-free and properly maintained.

Cactus plants, fruit-bearing trees are not permitted in front yards.

Sissoo trees are no longer permitted to be planted in any residential or common area in the Power Ranch Community (January 2021).

Power Ranch has predetermined the streetscape tree theme by neighborhood. The streetscape is the area between the street and sidewalk that is located in front of each home. It is the sole responsibility of the homeowner to install and maintain the required plants, trees, irrigation, and granite.

The canopy of the streetscape tree must be kept trimmed to a height of 13.5 feet above the street and 8 feet above the sidewalk. Before removing and replacing a theme streetscape tree, a replacement plan must be provided to the Design Review Committee. The replacement tree must be a single trunk (no multiple trunks) and a minimum of a 15 gallon or 24", or larger box. Tree selections include:

Neighborhood	Tree
Mountain View	Red Push Pistache
The Groves	Mulga, Desert Museum Palo Verde, or Mesquite (Phoenix, Honey, Honey, or Velvet or Chilean)
The Oaks	Southern Live Oak
The Vineyards	Southern Live Oak, Red Push Pistache, or Chinese Elm
Orchard	Willow Acacia Salicina or Fan Tex Ash or Arizona Ash
The Arbors	Willow Acacia Salicina or Fan Tex Ash or Arizona Ash
Meadow View	Red Push Pistache or Willow Acacia Salicina
Grange	Phoenix Mesquite
The Knolls	Southern Live Oak
The Willows	Red Push Pistache
The Timbers	Willow Acacia Salicina

All homes in Power Ranch are required to have a minimum of one front yard tree and a minimum of one streetscape tree, each a minimum of 15 gallon or 24", or larger box in size. Trees that are pruned to look like shrubs do not meet the tree requirement. Topping or canopy reduction is not an acceptable form of pruning. Desert Spoon and Sago Palms are considered shrubs and do not meet the tree requirement. Fruit-bearing trees, sissou trees and cactus are not permitted in front yards.

Streetscape plants are the responsibility of each homeowner

Owners may choose to remove all streetscape plants and maintain granite only. When this option is chosen, all drip lines for the plants must be capped and buried. The granite must remain fresh and free from weeds. Note: This is for the removal of streetscape plants only, and does not include the streetscape tree.

III. MODIFICATIONS

Accessory Buildings: Gazebo/Ramada/Pergola/Shade Structure/Shed

Gazebo/Ramada – a solid roofed, stand-alone structure that offers an open view of the surrounding area, typically used for relaxation or entertainment. No part of the structure shall fall within ten (10) feet of the main home structure and five (5) feet from any wall or fence. The maximum height is twelve (12) feet at its highest peak.

Pergola – a stand-alone archway or structure consisting of trellised or slatted framework used as a support for plant material or patio shade. No part of the structure shall fall within five (5) feet of any wall or fence and shall not exceed twelve (12) feet at its highest peak. Pergolas may be affixed to the main home structure.

Patio Cover - single-story shade structure covering a patio or deck area consisting of a solid roof and structural supports, attached to the home which is used only for recreational, outdoor purposes and which is not used as a habitable living space. Must not exceed the height of the first story eaves of the home and may not extend out beyond the edges of the home. The cover must be constructed of materials that match the existing materials on the home.

Courtyards in the Bungalows at the Knolls may be covered with a pergola (solid or slatted cover), not to extend beyond any edge of the courtyard walls. Courtyard covers shall be constructed of stable, non-deteriorating materials and shall be compatible with the design, color, and materials of the existing home.

Shed - Sheds should be made of non-deteriorating materials and color should blend with color of home. All sheds should be kept in good repair at all times. Set back from walls/fences shall be minimum of five (5) feet from all property lines, ten (10) feet from main structure. Shed height should not exceed 8 feet. Requests for higher than 8 feet will be case by case.

Shed structures that cannot be seen over walls shall be exempt from the 5-foot set-back from wall and 10 foot set-back from main home structure requirements noted above.

Permanent sheds must meet setbacks called out above. Sheds are considered permanent if the structure is permanently attached to the ground or stays in the same location for longer than six months. All other sheds that are do not meet the definition of "permeant" that are visible over any wall will be considered on a case by case basis.

Sheds that are 200 square feet or larger or have utilities require a permit from the Town of Gilbert as well as Design Review Committee approval.

All outdoor/backyard structures shall be constructed of stable, non-deteriorating materials and shall be compatible with the design, color, and materials of the existing home.

Temporary canopies and shade structures must meet setback and height requirements above. Fabric/material of any type is not allowed as a roof or wall. Temporary canopies must be stored out of view when not in use.

Obtaining additional permits required by the governing municipalities is the responsibility of the homeowner.

Ancillary Equipment

All ground-mounted pool, spa, and water feature equipment shall be adequately screened from street view and from the view of neighboring property, including lots, common area, and any arroyo corridor, by a wall that is at least one foot (1') higher than the equipment to be screened. Such screening structures shall be considered an integral part of the architecture, and shall match as closely as possible the design, color and exterior texture of the home.

Screening structures shall be set back from the equipment, to allow for adequate air circulation. If the setback requirements for a lot would prohibit the construction of a screening structure as provided herein, the Design Review Committee may, at its discretion, approve a landscape buffer as an alternative.

All air-conditioning units must be ground mounted. Window air-conditioning units are not permitted. For lots with view fences, the air-conditioning units should be screened from public view.

Antenna and Satellite Dish

Except for those devices that are governed by the Over-the-Air Reception Devices Rule (47C.F.R. Section 1.4000), (specifically, any satellite dish one meter or less in diameter that is designed to receive direct broadcast satellite service, including direct-to-home satellite service, or to receive or transmit fixed wireless signals via satellite, any antenna that is one meter or less in diameter or diagonal measurement that is designed to receive video programming services via broadband radio service (wireless cable) or to receive or transmit fixed wireless signals other than via satellite, or antenna designed to receive local television broadcast signals, all of which are referred to herein as "Regulated Receivers"), any antenna, dish or other device for transmission or reception of television or radio signals or any form of electromagnetic radiation including but not limited to antennas or a dish for AM/FM radio, amateur ("HAM") radio, Citizens Band ("CB") radio, Digital Audio Radio Services ("DARS") signals, non-local television broadcast signals and any antennas or dish in excess of one meter (39.37 inches) used for any purpose shall not be visible from neighboring property and are prohibited without prior written approval from the Design Review Committee. All non-"customer-end antennas," hub or relay antennas or antennas used to transmit signals to and/or receive signals from multiple customer locations shall be reviewed on a case-by-case basis, but under no circumstances shall be permitted on any residential Lot.

Regulated Receivers shall be mounted so as to minimize visual impact and shall comply with the following criteria to the greatest extent possible:

Antenna/Satellite Dish Locations (Regulated Receivers):

- It is preferred that satellite dishes be installed in a discreet location.
- Dishes may not be mounted on top of party walls.
- The ideal location is in the back yard, pole mounted with as little of the satellite dish visible to neighboring properties as possible.
- Visible cables must be attached to the home and painted to match the color of the home.

The Knolls Condos (Regulated Receivers):

- The preferred location for satellite dish is the space which houses the air conditioning unit, pole mounted or attached to the interior wall of the unit.
- Visible cables must be attached to the home painted to match the color of the home.
- Only one satellite dish is permitted per unit.

Willows Villages (Regulated Receivers):

- Satellite dishes may not be placed in any common area.
- The preferred location for the satellite dish is to be mounted under the eave of the building.
- Visible cables must be attached to the home and painted to match the color of the home.

Balconies/Patios/Front Door Areas

Balconies, patios, and front entryways may not be used for the storage of any items. Outdoor patio furniture is allowed in these areas.

Barbecues/Fire Pits/Fireplaces

Built-in barbecue units, fire pits and/or fireplaces must be contained within the rear yard or courtyard and must be designed to match the color and texture of the exterior finish of the home. Site chimney elements may not exceed a height of seven feet (7'). To achieve this, the chimney element on fireplaces must be setback a minimum of ten feet (10') from any view fence panel.

Portable fire pits and tower heaters may not be used in front yards, and must be stored out of view of neighboring properties or common areas when not in use.

Bulk Trash

Bulk trash is scheduled by the Town of Gilbert. Items must be out by 6:00 AM on the Monday of bulk trash collection week. Bulk trash to be placed in the street and may not be placed out in front of your home until the Saturday prior to the regularly scheduled bulk trash collection. Please visit the Town of Gilbert website for a schedule and list of what will and will not be picked up in the regularly scheduled bulk trash collection.

If the Town of Gilbert neglects to pick up your bulk trash during the regularly scheduled bulk trash collection, please call the Town of Gilbert (480-503-6400) to report it.

Bulk trash may not be stored in public view, on the street or in common areas prior to the Saturday before scheduled pick-up dates. Per the Town of Gilbert, bulk trash must be placed in the street against the curb. Bulk Trash will not be collected if placed in the streetscape area.

Driveway Extension

A driveway extension must be designed to be contiguous with the existing driveway and comprised of concrete, stamped concrete or pavers.


All modification requests must include a plot plan with the following noted thereon: (i) the location and dimensions of the proposed extension, (ii) the existing driveway dimensions, and (iii) the total linear feet of Lot frontage to the street.

The total parking area (existing driveway plus extension) may not exceed thirty feet (30') in width or fifty percent (50%) of the Lot width as measured at its widest point, whichever is greater. The narrowest part of the extension may not extend beyond the edge of the garage.

There must be at least a one foot (1') setback between the extension and the side Lot line. Such setback area shall be covered with groundcover per the landscaping guidelines or to match the existing front yard ground cover; i.e., decomposed granite.

The shape of the additional extension must include a decorative curve (45 degree angle) a distance of 1/3 the length of the driveway from the sidewalk to the house. Excluding the decorative curve, the outside edge of the extension must run parallel to the existing driveway. The driveway extension cannot extend into the streetscape.

The preferred extension material is pavers in a neutral/earth tone color. Concrete is also acceptable. Pave Edge shall be utilized to keep pavers in place. A minimum of two plants, three feet in height, are required in the angle portion of the driveway extension. The installation of double-band pavers are no longer permitted (April 2016). Pavers installed prior to April 2016 are exempt from regulation but may not be used for parking vehicles.



Driveways

Driveway parking is only permitted for in-use, operable vehicles and may not to be used as storage for any recreational vehicles (boats, trailers, off-road vehicles), inoperable, unsightly, or unlicensed vehicle. Driveways must remain free of oil stains.

Driveway staining and/or stamping are permitted. A sample of the stained/stamped concrete is required with the application prior to installation. A narrow band of pavers extending the driveway to the edge of the garage may be considered for approval. Concrete overlays may be approved on a case-by-case basis.

Flag Display

One free standing flag pole shall be permitted in the front yard of each lot. A flag pole must be set back no less than ten feet (10') from the boundary of the owner's property and property lines. Permanent flag poles cannot be installed in the streetscape. The height of the flag pole from grade level of the lot shall not exceed the height of the rooftop of the home. Flag poles may display up to two flags.

Pursuant to Arizona Law A.R.S. 33-1808, the following flags may be flown in the community:

1. The American flag or an official or replica of a flag of the Uniformed Services of the United States by an association member on that member's property if the American flag or a Uniformed Services flag is displayed in a manner consistent with the federal flag code (P.L. 94-344; 90 Stat. 810; 4 United States Code sections 4 through 10)
2. The POW/MIA flag.
3. The Arizona state flag.
4. An Arizona Indian nations flag.
5. The Gadsden flag.
6. A First Responder Flag. A First Responder Flag may incorporate the design of one or two other First Responder flags to form a combined flag.
7. A Blue Star Service Flag or a Gold Star Service Flag.

"First Responder Flag" means a flag that recognizes and honors the services of any of the following:

- a. Law Enforcement and that is limited to the colors blue, black and white, the words "Law Enforcement", "Police", "Officers", "First Responder", "Honor our", "Support Our" and "Department" and the symbol of a generic police shield in a crest or star shape.
- b. Fire Department and that is limited to the colors red, gold, black and white, the words "Fire", "Fighters", "F", "D", "FD", "First Responder", "Department", "Honor our" and "Support our" and the symbol of a generic Maltese cross.
- c. Paramedics or Emergency Medical Technicians and that is limited to the colors blue, black and white, the words "First Responder", "Paramedic", "Emergency Medical", "Service", "Technician", "Honor our", and "Support our" and the symbol of a generic star of life.

Flag hardware such as guide lines, lanyards, and metal clips are not permitted to disturb the peace of the neighborhood and shall be fixed in a manner to eliminate noise caused by wind. Plans for lighting the flag and flag pole must be included with the submittal for approval. When lighting is installed, all due care must be taken to use a fixture and bulb wattage that will not cause a nuisance to neighboring lots.

All flags and flagpoles shall be maintained in good condition. State or military flags must be flown in accordance with the Federal Flag Code to include lighting requirements. The American flag must follow US flag etiquette found at <https://www.defense.gov/News/Feature-Stories/story/Article/1892936/dos-and-donts-for-displaying-old-glory/> Flags that are torn, ripped, faded, etc. must be removed.

Residents may use brackets mounted on the house for the display of the above listed flags. Only two bracket mounted flags per home. Residents may also use brackets mounted on the house for the display of holiday-themed flags, sports team flags, school flags, etc. ("Decorative Flags") Decorative Flags displayed from such mounts shall be no larger than three feet by five feet (3' x 5') in dimension. Decorative Holiday flags may be displayed 30 days before and must be removed within 14 days after the date of the holiday to which the flag pertains.

Flags deemed offensive by the Board of Directors or Design Review Committee, in their sole discretion, shall not be allowed.

Garages

Garage doors must remain completely closed at all times except to permit vehicle entrance and exit or when the garage is being used for access to and from the Lot or Unit. Garage doors must be kept in good repair. Garage door windows may not be covered in reflective material, aluminum foil and/or cardboard. Any broken or damaged windows must be replaced.

Garage door decorative hardware must match the homes exterior lighting/metal work color and will need to be approved by the Committee.

Gates

Gates accessing the common areas from a homeowner's lot shall not be permitted.

Side yard access gates must be designed, constructed, and finished to match gates on lots within the neighborhood in which the lot is located. Consideration will be given to heavy-duty steel jambs and gate frames. Steel jambs and gate frames shall be painted black. Slats should be natural wood color and constructed of non-deteriorating materials. Trex material will be considered, but must be of a natural wood color/appearance. Gate materials shall be kept in good repair at all times. Gates cannot exceed the height of the wall.

Double-gate access guidelines are as follows:

- RVs, Boats, ATVs, recreational vehicles or utility trailers may not be parked or stored in front yards and/or driveways..Anything parked or stored behind the wall or gate shall not be any higher than the wall or gate or visible through side or rear view fencing.
- If rear lot contains a view fence, the area must be screened from view with an additional wood slat gate screening the area from the rear.
- Double access gates shall be steel or iron and have natural color wooden slats creating a visual barrier. Double gates shall be kept in good repair at all times.
- Double gates may not exceed fourteen feet (14') in width and must be a minimum of one foot (1') from the property line.
- Only one double-gate per lot.

Holiday and Seasonal Decorations

Holiday decorative items, such as lighting, inflatables, displays, and holiday flags, do not require approval; however, such decorative items shall not be displayed more than 45 days prior to the actual holiday with which they are associated and must be removed fourteen (14) days after the actual holiday.

Irrigation

The use of underground drip irrigation systems rather than traditional spray type systems is encouraged for irrigating landscape areas. Spray irrigation should be limited to turf areas. Hoses used for irrigation or watering must be stored neatly, rolled or put away when not in use.

Lighting, General

All lighting should be low level and recessed to shield the source of light.

Only minimal lighting is allowed to be utilized between the period of 10 p.m. and 5 a.m.

Spotlights and floodlights are prohibited in front yards. If spotlights and floodlights are installed in the backyard, they may not be directed at or shine on a neighbor's yard or on the common area and should be integrated into the architecture of the home. Light fixture enclosures/shields may be used to direct the light downward.

The maximum height of any house-mounted outdoor lighting source shall be twelve feet (12') above the finished grade at the base of the light fixture.

No post lights will be permitted in front or back yards.

Junction boxes must be placed below grade to minimize daytime visibility of the hardware.

All fixtures and lights must be low wattage so as not to be a nuisance to neighboring properties. All lighting fixtures must be kept in good condition at all times.

Fixtures, lamps, and lights must comply with the Town of Gilbert's restrictions on light trespassing. Except for state or national days of observance, colored light bulbs are not permitted.

Lighting, Decorative

Decorative lighting is defined as temporary outdoor lighting (including string lights) used to provide ambience within the confines of a private back yard. Bulbs should be clear or white. Lights may not flicker, flash, blink, animate or change color. String lights must be kept in good condition at all times. Decorative lighting does not require approval but must meet the guidelines considered for permanent lighting.

No additional posts shall be installed unless they are concealed by a tree or other landscape material. Decorative lighting shall not be connected to a view fence, common wall or neighbor's home.

Cafe lights may not be installed on the front of the home.

The maximum height for decorative lighting is twelve feet (12').

Outdoor Furniture

Furniture placed outside shall be specifically designed for such purpose and maintained in good order, condition, and repair. Folding portable chairs and tables must be stored out of public view when not in use. Furniture used in the front of the home must be placed stored out of view when not in use.

Painting

Visit www.mypowerranch.com to find a link for all available color palette choices.

Paint schemes should not be the same as the home on either side of the property. It is the responsibility of each homeowner to visually confirm that the chosen paint scheme is not the same as the home to either side of the property. Using color schemes the same as the home to either side of your property is not allowed.

When a color scheme is selected, it must be followed in its entirety, meaning that a color from one scheme may not be used with a color from another scheme. Popouts on all sides of the home must be painted per the chosen scheme.

Pop-outs: Vertical and horizontal stucco framing elements that "pop out".

Trim/Fasia: Vertical and horizontal wood elements around the windows, doors and roofline of home.

Custom paint schemes are not permitted. (July 2017)

Patios, Patio Covers/Extensions and Courtyards

Patios and front courtyards should be designed with the architecture of the home in mind. Colors and materials must match the existing body of

the home.

Pipe Wrap Insulation

Pipe wrap insulation that is either self-stick or tape wrapped may be considered for approval. Pipe wrap insulation should be colored to match the house. Towels, blankets, or any material other than pipe wrap insulation is not allowed.

Pools/Water Features

All swimming pools and pool/spas shall be of the in-ground type. Above ground spas in the backyard may be permitted on a case-by-case basis.

Pools, above ground spas, and water feature equipment shall be screened from street view and the view from neighboring properties and common areas. Any water features incorporated into the pool area must not exceed the height of the party wall.

All swimming pools and pool/spas shall be enclosed as required by applicable law.

Pool and spa drains must connect to the public sewer system. No pools may be drained or backwashed onto open space, the street, or onto any other property.

Pool construction equipment may not be placed in the common area or be brought to the site via the common area. No site access will be granted through common area tracts.

Portable Sports Equipment

When in use, portable sports equipment, including but not limited to, basketball goals, hockey nets, batting cages, skateboard ramps, and tether balls are (temporarily) allowed in front yards. However, when portable sports equipment is not in use it must be stored out of public view. Portable basketball goals should be in the upright position on owner's lot and not in streets or common areas. All portable sports equipment should be kept in good repair at all times.

Prohibited Structures

The following structures shall be prohibited at Power Ranch if visible from neighboring properties or common areas:

- Clothes lines or clothes poles
- Detached garages
- Tents of a permanent nature
- Equipment, play items, and other structures may not be attached to front yard, streetscape trees or common areas.

Rain Gutters

Rain gutters are encouraged to prevent erosion of landscaped areas around the home. All gutter installations must maximize water drainage following the slope of the rooflines. All gutters and hardware must be inconspicuous and painted to match the house body color or trim color.

Security Cameras

Security camera housings must match the home's paint color and should be mounted in a visually unobtrusive location. Cables and cords must be tacked to the home inconspicuously and be painted to match the wall to which they are attached. Cameras may only be aimed at homeowner's own property, and may not be aimed at neighboring properties or common areas.

Security and Screen Doors

Security and screen door frames should blend or match the body color, trim color or door color of home. Screen fabric must be dark brown, black or a neutral color. Alternate colors will be reviewed in a case by case basis..

Metal security/screen doors may not have any animal, plant, or a character depiction. Metal roll down security shades are not permitted.

Shade Sails

The sail, if approved, shall be installed per the manufacturer's guidelines. All fabric and components must be the same neutral color. All shade sails must be maintained in good condition at all times. Torn or frayed fabric shall be replaced. Shade sails may not be affixed in any manner to a common/party wall and/or fence. Any zero lot line home may not attach the shade sail hardware to the neighboring home. The height of the sail shall not exceed ten feet (10')

Sidewalks

Maximum width for any sidewalk is forty-two inches (42”).

Pavers, concrete, stained concrete and stamped concrete will be considered. Samples of the materials with the color enhancements are required with the modification request form. Exposed aggregate concrete may be used only if the home has a builder-installed exposed aggregate concrete driveway.

Signage

One “security” sign may be installed in the front yard of a residence. The sign must be no greater than one hundred (100) square inches, no higher than eighteen inches (18”) tall, and placed no more than two feet (2’) from the foundation of residence.

One “For Sale” or “For Lease” or “Open House” sign may be placed at the home and maintained in conformity with specifications (including reasonable restrictions to size) put forth by the Board of Directors in the Sign Policy. No balloons, flags, or similar promotional material may be placed at the home.

Temporary signs such as “Garage Sale” or “Open House” signs may only be put out the day of the event and must be removed the same day, immediately after the event. Temporary signs are limited to one per property.

Sports signs can be displayed during the appropriate season.

“Graduation” signs must follow the Holiday regulation time. The sign can be posted 30 days before event and must be removed 14 days after the event.

Temporary signs which advertise a business, commodity, service, entertainment, etc. may be displayed during the service period only.

No signs may be placed in the common areas or attached to shared walls or the common area walls. Identification signs (street numbers) shall not exceed 90 square inches.

A political sign is defined as a sign that attempts to influence the outcome of an election, including supporting or opposing the recall of a public officer or supporting or opposing the circulation of a petition for a ballot measure, question or proposition or the recall of a public officer (pursuant to Arizona Revised Statutes 33-1808). Political signs may be displayed no earlier than seventy-one (71) calendar days prior to the election and removed fifteen (15) calendar days after the general election if the candidate advances to the general election. If the candidate does not advance past the primary, the sign must be removed within fifteen (15) days after the primary election.

There is no limit to number of political signs displayed as long as the aggregate total dimensions are no more than 9 square feet.

An Association-Specific Political Sign means a sign that supports or opposes a candidate for the Board of Directors or the recall of a board member or a planned community ballot measure that requires a vote of the association members (pursuant to Arizona Revised Statutes 33-1808). An association specific political sign may be displayed no earlier than the date the Association provides written or absentee ballots to members and no later than three (3) days after the planned community election. No profanity and discriminatory text are permitted on any association-specific political sign. The maximum aggregate total dimensions of all association-specific signs on a member’s property shall not exceed nine square feet.

For specific information, please see the Sign Policy at www.mypowerranch.com under *Community Documents*.

Solar Panels/Tubes/Equipment

The preferred location for all panels and equipment is ground mounted within the confines of the rear yard, concealed by a solid fence. Roof mounted solar panels must be an integrated part of the roof design and mounted directly to the roof plane. Solar panels and equipment must not break the roof ridgeline. All exterior plumbing lines must be painted to match the color of the exterior walls while roof plumbing must be the color of the roof.

Swing Sets/Play Structures/Trampolines

Play structures shall be placed a minimum of five (5) feet from the property wall/fence. All structures and equipment shall be kept in good repair at all times.

No portion of a swing set, play structure or trampoline shall be greater than ten feet (10’) in total height. The maximum height for a play structure platform is eight (8) feet.

Trash and Recycle Containers

No garbage or trash shall be stored in a yard except in covered containers.

Trash and recycling containers may not be stored in the front yard of any home and shall be removed from the trash pickup area on the same day that trash pick-up service is provided.

Trash and recycling containers may be placed in the trash pick-up area the night before scheduled collection days.

Trash containers may be stored in rear or side yards behind the wall enclosing the side yard, or garages. Compost bins must also be stored and maintained out of sight.

Walls and Fences

Unless installed by Builder, no courtyard wall (i.e., a wall attached to the home) shall be greater than forty-eight inches (48") above finished grade elevation. Courtyard walls shall not be constructed closer than twenty feet (20') to the front yard property line.

Decorative walls or fences (i.e., free-standing walls) shall not exceed three feet (3') in height and must be set back a minimum of ten feet (10') from the edge of the sidewalk or if no sidewalk is located on the lot, a minimum of fifteen feet (15') from the back of the curb. Consideration may be given for smaller lots. Height is measured from the finish grade along the exterior side (street side) of the enclosure. Walls must be stuccoed and painted, made of non-deteriorating wood or be covered with decorative stone. Keystone blocks are not allowed.

Pillars used as borders to driveways or courtyards may not exceed forty-two (42") inches in height, including lighting or décor placed on top. Rear yard, side yard, and patio wall surfaces shall be masonry, stucco, or wrought iron. Wall and iron fence materials shall match existing.

No chain link or similar material shall be used as fence material on lots in Power Ranch. However, the Association may utilize any temporary fencing material it deems necessary to protect its construction sites and maintenance yards.

Window/Screens/Shades/Shutters

New Windows: Window grids are permitted but not required.

Exterior Window Coverings: Awnings may not be installed on windows facing the street. Color, style and shape of awning must be consistent with original architectural and color scheme of home. Window or door sun screens must be a neutral color, dark brown or black. Frames should match the color of the home or window trim color. Window screens, shades and frames should be kept in good repair at all times i.e. no fading, staining, warping, rusting, unraveling, tearing or sagging.

Interior Window Coverings: No reflective window covering materials, including but not limited to aluminum foil, reflective screens, glass, mirrors, sheets, blankets, newspapers or similar may be installed or placed on the inside of any windows of any residence or other structure. No interior window may be covered with paper, cardboard, and/or paint.

Bahama-style Shutters: Shutters must be constructed of non-deteriorating material. Shutters should blend or match the existing color scheme of the home and must be maintained in good condition at all times.

Yard Art/Ornaments/Structures: Front Yards

Up to two large items such as fountains and patio benches may be permitted in each front yard.

Artificial foliage is permitted in front yards but must be kept in good condition at all times. Items such as animal skulls, deer, flamingos or trolls will not be permitted.

IV. NON-LIABILITY FOR APPROVAL OF PLANS

Article 11 of the Declaration contains a disclaimer of liability or responsibility for the approval of plans and specifications contained in any request by an owner. **PRIOR TO SUBMITTING PLANS OR INFORMATION FOR REVIEW, READ AND UNDERSTAND THIS DISCLAIMER. IF YOU DO NOT UNDERSTAND IT, PLEASE ASK A REPRESENTATIVE OF THE ASSOCIATION OR DESIGN REVIEW COMMITTEE TO EXPLAIN IT TO YOU.**

V. CHANGES AND AMENDMENTS TO THE DESIGN GUIDELINES

The Board of Directors or Design Review Committee of the Association may propose changes to these Design Guidelines. Additionally, any owner may submit to the Design Review Committee proposed changes to these Design Guidelines for review and consideration.

All owners shall be notified of amendments through posting on www.mypowerranch.com, social media, and written copies available at the Association office.

All amendments shall become effective upon adoption by the Design Review Committee. Such amendments shall not be retroactive to previous work or approved work in progress.

In no way shall any amendment to these Design Guidelines change, alter, or modify any provisions of the Declaration. Amendments shall also not change, alter, or modify any supplemental Declaration or the Articles or By-Laws of the Association.

Capitalized terms that are not defined in these Design Guidelines shall have the same meaning as set forth in the Declaration. These Design Guidelines have been prepared for use at Power Ranch Community Association.

Design Review Committee

Architectural and design review and control for Power Ranch are handled by a committee established by the Board of the Power Ranch Community Association, Inc. ("The Association"). The Design Review Committee ("DRC") has been established to monitor, review, and control the development of Power Ranch.

Members of the Design Review Committee are appointed by the Board of Directors. The DRC is an advisory committee to the Board and reports to the Board. The Design Review Committee shall review plans and specifications, and the Board shall enforce these Rules and Design Guidelines and may promulgate additional design standards and review procedures. The Design Review Committee has exclusive jurisdiction over original construction, initial landscape installation, modifications, additions and alterations made to lots, to structures and landscaping on lots. After a lot and its structures and landscaping have been completed according to approved plans, the Design Review Committee must review all proposed changes to the exterior of the structure and the lot.

Review Procedures

The Design Review Committee shall review all requests without hearings and based solely on the information contained within the application. The Committee members and authorized agents may at any time inspect a lot for compliance and for any approved plans for construction or modification. The Committee may request additional information and clarification if necessary. Until all requested information is provided to the Committee, the Design Modification Application shall be deemed incomplete.

The Design Review Committee will reference these Design Guidelines in reviewing requests. Although these Guidelines address a broad range of exterior building and site conditions, they are not intended to be all-inclusive. The Committee may permit variances to the Design Guidelines, but only in accordance with Section 11.9 of the Declaration.

The Committee's decision may be rendered in one of the following three forms:

- Approved – The entire document is approved in total. The Design Review Committee may state a completion date in the approval. If the Design Review Committee does not state a completion date in the approval, all construction must be completed within one (1) year after commencement of the project.
- Approved as Noted – The document submitted is partially approved. The owner must resubmit the application incorporating the Committee's conditions and receive final approval prior to commencing the construction or alteration.
- Declined

Implementation of Approved Plans

All work must conform to approved plans. If it is determined by the Committee that work completed or in progress on any lot is not in compliance with the Design Guidelines or any approval issued by the Committee, the Committee shall notify the Board. The Board may notify the owner in writing of such noncompliance, specifying in reasonable detail the particulars of noncompliance and requiring the owner to remedy the same. If the owner fails to remedy such noncompliance or fails to commence and continue diligently toward achieving compliance, then such noncompliance shall be deemed to be in violation of the Declaration and these Design Guidelines.

Appeal of "Not Approved" and "Approved as Noted" Decisions

Any owner shall have the right to appeal a decision of the Design Review Committee by resubmitting the information, documents, and fees set forth in Section 11.4 of the Declaration; however such appeal shall be considered by the Board only if the appellant has modified the proposed construction or modification or has new information, which would, in the Board's opinion, warrant reconsideration. In the event the decision of the Design Review Committee is overruled by the Board, the decision of the Committee shall be deemed modified to the extent specified by the Board. If the owner fails to appeal a decision of a Committee or if the Board, after appeal, upholds the decision of the Committee, the decision of

the Board is final.

Building Permits

If the plans submitted by an owner require a building permit, it is the responsibility of the owner to obtain such permit. The approval of any Committee is not a guarantee that the Town of Gilbert will approve such plans. If the Town requires design review of the plans, any changes or modifications must be resubmitted to the Power Ranch Design Review Committee for re-review.

The Design Review Committee does not warranty improvements. It is the responsibility of the owner to ensure the quality of craftsmanship, to gain approvals from the appropriate local and government officials (if necessary), and to verify adequacy of design.

Fees

The Board and Design Review Committee may establish and charge reasonable fees for professional review of applications. Any fee payments shall be made at the time of request and prior to review by the appropriate Committee. All fees shall be made payable to the Power Ranch Community Association and will be non-refundable.

Enforcement

In the event of any violation of these Design Guidelines, the Association may take any action set forth in the Violation and Enforcement Policy.

EXHIBIT 1

Residential Landscaping Approved Tree/Plant List

The following is an approved plant list that may be used for front yard landscape design. Reference specific streetscape theme trees and shrubs for each neighborhood beginning on page 2.

Cactus, fruit/citrus and Sissoo trees are not permitted in front yards. Existing Sissoo trees may remain, but new Sissoo trees are prohibited. Agaves, aloes and other plant material which have thorns, spiky limbs, etc. should be installed away from sidewalks and right-of-ways.

TREES

BOTANICAL

Acacia salicina
Acacia smallii
Arecastrum romanoffzanium
Cercidium species
Chilopsis linearis
Cupressus sempervirens
Eucalyptus microtheca
Eucalyptus papuana
Fraxinus uhdei
Fraxinus velutina
Geijera priflora
Jacaranda mimosifolia
Lagertromea indica
Lysiloma microphylla
Olea europaea
Olneya tesota
Pinus brutia eldarica
Pistachia chinensis
Platanus wrightii
Pithecellobium flexicaule
Propropis varieties
Pyrus calleryana
Quercus virginiana
Rhus lancea
Sophora secundiflora
Ulmus parvifolia
Vitex agnus-castus
Washingtonia filifera
Washingtonia robusta
Ficus nitida
Prunus cerasifera
Fraxinus oxycarpa
Ulmus parvifolia

COMMON

Willow Acacia
Sweet Acacia
Queen Palm
Palo Verde Varieties
Desert Willow
Italian Cypress
Coclibah Tree
Ghost Gum
Shamel Ash
Fan-Tex Ash, Arizona Ash
Australian Willow
Jacaranda (frost sensitive)
Crape Myrtle
Desert Fern
Swan Hill Olive
Ironwood
Mondel Pine
Pistache Tree
Arizona Sycamore
Texas Ebony
Mesquite Varieties with exception of Honey
Bradford Pear
Live Oak
African Sumac
Texas Mountain Laurel
Evergreen Elm
Chaste Tree
California Fan Palm
Mexican Fan Palm
Indian Laurel Fig
Purple Leaf Plum
Raywood Ash
Chinese Elm

SHRUBS/ACCENTS/GROUNDCOVER

BOTANICAL	COMMON
Agave species	Agave
Aloe species	Aloe Varieties
Ambrosia deltoidea	Bursage
Annuals	Seasonal Annuals
Antigonon leptopus	Queen's Wreath
Asclepias subulata	Desert Milkweed
Aster tanacetifolius	Purple Aster
Baccharis centennial	Dwarf Coyote Bush
Baileya multiradiata	Desert Marigold
Bougainvillea species	Bougainvillea Varieties
Caesalpinia pulcherrima	Red Bird of Paradise
Calliandra californica	Baja Red Fairy Duster
Calliandra eriophylla	Pink Fairy Duster
Carissa graniflora	Natal Plum Varieties
Cassia species	Cassia varieties
Chamaerops humilis	Mediterranean Fan Palm
Chrysactinia mexicana	Damianita
Cissus trifoliata	Native Grape Ivy
Convolvulus cneorum	Bush Morning Glory
Cordia parvifolia	Small Leaf Cordia
Euphorbia Beglandulosa	Poinsettia variety
Dalea capitata	Sierra Gold Dalea
Dalea frutescens	Dalea Varieties
Dalea pulchra	Indigo Bush
Dasylyrion species	Desert Spoon Varieties
Dietes Bi-color	Morea Iris
Dyssodia pentachaeta	Golden Fleece
Encelia farinosa	Brittlebush
Ericameria laricifolia	Turpentine Bush
Erigeron devergens	Spreading Purple Fleabane
Erimophila Spp. 'Valentine'	Valentine Bush
Eriogonum fasciculatum	Wild Buckwheat
Ficus pumila	Creeping Fig (Fig Vine)
Gardenia jasminoides	Gardenia
Hemerocallis	Orange Daylily
Hesperaloe species	Yucca Varieties
Hibiscus Varieties	Hibiscus Varieties
Hymenoxys acaulis	Angelita Daisy
Juniperus species	Juniper Varieties
Justicia californica	Chuparosa
Justicia ovata	Red Justicia
Lantana species	Lantana Varieties
Larrea tridentata	Creosote
Leucophyllum species	Texas Sage Varieties
Ligustrum japonicum	Waxleaf Privet
Mascagnia macroptera	Yellow Orchid Vine
Melampodium leucanthum	Blackfoot Daisy

SHRUBS/ACCENTS/GROUNDCOVER

BOTANICAL

Myrtus communis
Nerium oleander
Oenothera caespitosa
Penstemon species
Pittosporum varieties
Podranea ricasoliana
Psilostrophe cooperi
Pyracantha varieties
Rosa banksiae 'Lutea'
Rosa officinalis
Rosmarinus officinalis

Salvia clevelandii
Salvia greggii
Salvia leucantha
Santolina varieties
Simmondsia chinensis
Sphaeralcea ambigua
Tagetes lemmoni
Tecoma Stans
Tecomaria capensis
Trachelospermum jasminoides
Trixis californica
Tulbaghia violacea
Vauquelinia Californica
Verbena species
Viguiera deltoidea
Wedelia trilobata
Xylosma cong. Varieties
Yucca species
Zauschneria californica
Zephyranthus candida
Zexmenia hispida
Zinna acerosa

COMMON

Myrtle Varieties
Petite Pink & Other Oleander
Evening Primrose Varieties
Penstemon Varieties
Pittosporum
Pink Trumpet Vine
Paperflower
Pyracantha
Lady Banks Rose
Rose Bush Varieties
Rosemary Varieties

Chaparral Sage
Red Salvia
Mexican Bluesage
Grey/Green Santolina
Jjoba Varieties
Globemallow Varieties
Mt. Lemmon Marigold
Yellow Bells Varieties
Cape Honeysuckle
Star Jasmine
Trixis
Society Garlic 'Purple'
Arizona Rosewood
Verbena Varieties
Goldeneye
Wedelia
Xylosoma
Yucca Varieties
California Fuchsia
White Rainlily
Devils River
Desert Zinnia